Volume 185 1989

Table of contents

No. 1 1–230 issued on October 20, 1989
No. 2 231–483 issued on November 6, 1989
No. 3 485–706 issued on November 20, 1989

Nomenclature of glycoproteins, glycopeptides and peptidoglycans – Correction to Recommendations 1985 – IUPAC-IUB Joint Commission on Biochemical Nomenclature (JCBN) 485

Nomenclature for multienzymes – Recommendations 1989 of the Nomenclature Committee of the International Union of Biochemistry (NC-IUB) 485–486

Reviews

A chromosomal basis of lymphoid malignancy in man
T. Boehm and T. H. Rabbitts 1–17

The nucleoskeleton and the topology of transcription
P. R. Cook 487–501

Nucleic acids, protein synthesis and molecular genetics

Structure and some characterization of the gene for phenylalanine ammonia-lyase from rice plants
E. Minami, Y. Ozeki, M. Matsuoka, N. Koizuka and Y. Tanaka 19–25

Heterogeneous assembly of nascent core histones to form nucleosomal histone octamers in mouse FM3A cells
K. Sugasawa, Y. Ishimi, M. Yamada, F. Hanaoka and M. Ui 55–61

Vascular anticoagulant β: a novel human Ca^{2+}/phospholipid binding protein that inhibits coagulation and phospholipase A_2 activity – Its molecular cloning, expression and comparison with VAC-α
R. Hauptmann, I. Maurer-Fogy, E. Krystek, G. Bodo, H. Andree and C. P. M. Reutelingsperger 63–71

Molecular cloning and sequence analysis of the cDNA for rat mitochondrial enoyl-CoA hydratase – Structural and evolutionary relationships linked to the bifunctional enzyme of the peroxisomal β-oxidation system
N. Minami-Ishii, S. Taketani, T. Osumi and T. Hashimoto 73–78

Heat-shock protein 83 of *Leishmania mexicana amazonensis* is an abundant cytoplasmic protein with a tandemly repeated genomic arrangement
M. Shapira and E. Pinelli 231–236

Characterization of the methyltransferases in the yeast phosphatidylethanolamine methylation pathway by selective gene disruption
T. Kodaki and S. Yamashita 243–251

Two arylamine *N*-acetyltransferases from chicken pineal gland as identified by cDNA cloning
M. Ohtomi, M. Sasaki and T. Deguchi 253–261

Tissue specificity of nucleo-cytoplasmic distribution of HMG1 and HMG2 proteins and their probable functions
M. I. Mosevitsky, V. A. Novitskaya, M. G. Iogannsen and M. A. Zabezhinsky 303–310

The ribosomal genes of the mosquito, *Aedes aegypti*
K. Gale and J. Crampton 311–317

Structural analogies between the 3′ tRNA-like structure of brome mosaic virus RNA and yeast $tRNA^{Tyr}$ revealed by protection studies with yeast tyrosyl-tRNA synthetase
V. Perret, C. Florentz, T. Dreher and R. Giege 331–339

Substitution of Val20 by Gly in elongation factor Tu – Effects on the interaction with elongation factors Ts, aminoacyl-tRNA and ribosomes
E. Jacquet and A. Parmeggiani 341–346

Production of human adrenocorticotropin by cleavage of alkaline-phosphatase-derived fusion proteins containing repetitive recognition sequences for collagenases
J. Daum, P. Donner, W. Geilen, G. Hübner-Kosney, M. Isernhagen, H. Scheidecker, H. Seliger, W. Boidol and G. Siewert 347–354

The 23S ribosomal RNA higher-order structure of *Pseudomonas cepacia* and other prokaryotes
P. Höpfl, W. Ludwig, K. H. Schleifer and N. Larsen 355–364

Role of the cell surface-exposed regions of outer membrane protein PhoE of *Escherichia coli* K12 in the biogenesis of the protein
M. Agterberg, H. Adriaanse, E. Tijhaar, A. Resink and J. Tommassen 365–370

Interaction of tRNA with the A and P sites of rabbit-liver 80S ribosomes and their 40S subunits
M. V. Rodnina, A. V. El'skaya, Y. P. Semenkov and S. V. Kirillov 563–568

Protein chemistry and structure

Purification and characterization of a fatty-acid-binding protein from the gastric mucosa of rats – Possible identity with heart fatty-acid-binding protein and its parietal cell localization
T. Kanda, S. Iseki, M. Hitomi, H. Kimura, S. Odani, H. Kondo, Y. Matsubara, T. Muto and T. Ono 27–33

Fatty-acid-binding protein from bovine brain – Amino acid sequence and some properties
F. Schoentgen, G. Pignède, L. M. Bonanno and P. Jollès 35–40

Synthesis and characterization of μ-conotoxin IIIa
S. Becker, E. Atherton and R. D. Gordon 79–84

Mobility of secondary structure units of horse-muscle acylphosphatase – Relation to antigenicity
V. Saudek, R. J. P. Williams, M. Stefani and G. Ramponi 99–103

Interaction of muscle and non-muscle tropomyosins with deoxyribonuclease I
I. D. Clark and L. D. Burtnick 105–109

Isolation and characterization of different activated forms of factor VIII, the human antihemophilic A factor
N. Bihoreau, A. Sauger, J. M. Yon and H. Van de Pol 111–118

The amino acid sequence of rabbit skeletal muscle glycogenin
D. G. Campbell and P. Cohen 119–125

Amino acid sequence of the monomer subunit of the giant multisubunit hemoglobin from the earthworm *Pheretima sieboldi*
T. Suzuki 127–134

Large-scale preparation of recombinant platelet-derived growth factor AA secreted from recombinant baby hamster kidney cells
W. Eichner, V. Jäger, D. Herbst, H. Hauser and J. Hoppe 135–140

Purification and characterization of dihydropyrimidine dehydrogenase from pig liver
B. Podschun, G. Wahler and K. D. Schnackerz 219–224

The heparin and pentosan polysulfate binding sites of human antithrombin overlap but are not identical
X. J. Sun and J. Y. Chang 225–230

Tryptophan 110, a residue involved in the toxic activity but not in the enzymatic activity of notexin
P. Mollier, S. Chwetzoff, F. Bouet, A. L. Harvey and A. Ménez 263–270

Dissection of laminin by cathepsin G into its long-arm and short-arm structures and localization of regions involved in calcium dependent stabilization and self-association
M. Bruch, R. Landwehr and J. Engel 271–279

Studies on the domain structure of the *Salmonella typhimurium* AraC protein
H. Lauble, Y. Georgalis and U. Heinemann 319–325

Conformation of two somatostatin analogues in aqueous solution – Study by NMR methods and circular dichroism
C. Wynants, D. Tourwe, W. Kazmierski, V. J. Hruby and G. Van Binst 371–381

Recognition of specific *Physarum* α-tubulin isotypes by a monoclonal antibody – Sequence heterogeneity around the acetylation site at lysine 40
P. D. Walden, A. B. Blindt, C. R. Birkett, R. A. Cox and K. Gull 383–389

Sulfation of two tyrosine-residues in human complement S-protein (vitronectin)
D. Jenne, A. Hille, K. K. Stanley and W. B. Huttner 391–395

A new probe for affinity labelling pancreatic cholecystokinin receptor with minor modification of its structure
D. Fourmy, P. Lopez, S. Poirot, J. Jimenez, M. Dufresne, L. Moroder, S. P. Powers and N. Vaysse 397–403

Purification and characterization of angiotensin-binding protein from porcine liver cytosolic fraction
H. Hagiwara, N. Sugiura, K. Wakita and S. Hirose 405–410

Characterization of a high-affinity monoclonal antibody to calcineurin whose epitope defines a new structural domain of calcineurin A
M. J. Hubbard and C. B. Klee 411–418

Study of the fast-reacting cysteines in phosphoglycerate kinase using chemical modification and site-directed mutagenesis
P. Minard, M. Desmadril, N. Ballery, D. Perahia, L. Mouawad, L. Hall and J. M. Yon 419–423

Evidence that ^{31}P NMR is a sensitive indicator of small conformational changes in the coenzyme of aspartate aminotransferase
K. D. Schnackerz, G. Wahler, M. G. Vincent and J. N. Jansonius 525–531

Complete amino acid sequence of pyrazine-binding protein from cow nasal mucosa
R. Tirindelli, J. N. Keen, A. Cavaggioni, E. E. Eliopoulos and J. B. C. Findlay 569–572

Tryptophan phosphorescence as a monitor of the structural role of metal ions in alkaline phosphatase
P. Cioni, L. Piras and G. B. Strambini 573–579

Multiple domains are involved in the interaction of endothelial cell thrombospondin with fibronectin
R. Dardik and J. Lahav 581–588

Isolation, characterization and immunocytochemical localization of caldesmon-like protein from molluscan striated muscle
A. Bartegi, A. Fattoum, C. Dagorn, J. Gabrion and R. Kassab 589–595

Primary structures of five ribosomal proteins from the archaebacterium *Halobacterium marismortui* and their structural relationships to eubacterial and eukaryotic ribosomal proteins
T. Hatakeyama, F. Kaufmann, B. Schroeter and T. Hatakeyama 685–693

Electron transport in sulfate-reducing bacteria – Molecular modeling and NMR studies of the rubredoxin–tetraheme-cytochrome-c_3 complex
D. E. Stewart, J. Legall, I. Moura, J. J. G. Moura, H. D. Peck Jr, A. V. Xavier, P. K. Weiner and J. E. Wampler 695–700

Enzymology

Derailment product in NADPH-dependent synthesis of a dihydroisocoumarin 6-hydroxymellein by elicitor-treated carrot cell extracts
F. Kurosaki, Y. Kizawa and A. Nishi 85– 89

Biochemical properties of conjugates of urokinase-type plasminogen activator with a monoclonal antibody specific for cross-linked fibrin
M. Dewerchin, H. R. Lijnen, B. van Hoef, F. De Cock and D. Collen 141–149

Improved purification and biochemical properties of phosphatidylinositol-specific phospholipase C from *Bacillus thuringiensis*
T. Kupke, M. Lechner, G. Kaim and F. Götz 151–155

Molecular organization and clustering of cell-wall-bound enzymes as a source of kinetic apparent co-operativity
C. Dussert, G. Mulliert, N. Kellershohn, J. Ricard, R. Giordani, G. Noat, J. Palmari, M. Rasigni, A. Llebaria and G. Rasigni 281–290

Concerted action of cosolvents, chaotropic anions and thioredoxin on chloroplast fructose-1,6-bisphosphatase — Reactivity to iodoacetamide
M. Stein, J. J. Lazaro and R. A. Wolosiuk 425–431

Purification and properties of *Saccharomyces cerevisiae* acetolactate synthase from recombinant *Escherichia coli*
C. Poulsen and P. Stougaard 433–439

Ligand-induced conformational changes of citrate synthase studied with the fluorescent probe 8-anilinonaphthalene 1-sulfonate
A. Kollmann-Koch and H. Eggerer 441–447

Determination of the active-site serine of 6-aminohexanoate-dimer hydrolase
S. Negoro, T. Mitamura, K. Oka, K. Kanagawa and H. Okada 521–524

Purification and characterization of three $(1 \rightarrow 4)$-β-D-xylan endohydrolases from germinated barley
A. M. Slade, P. B. Høj, N. A. Morrice and G. B. Fincher 533–539

NADPH-dependent H_2O_2 generation catalyzed by thyroid plasma membranes — Studies with electron scavengers
C. Dupuy, J. Kaniewski, D. Dème, J. Pommier and A. Virion 597–603

Microsomal $\Delta^{8,14}$-sterol Δ^{14}-reductase in higher plants — Characterization and inhibition by analogues of a presumptive carbocationic intermediate of the reduction reaction
M. Taton, P. Benveniste and A. Rahier 605–614

The stoichiometry of the tightly bound NAD^+ in urocanase — Separation and characterization of fully active and inhibited forms of the enzyme
J. Klepp and J. Rétey 615–619

A distinct form of ribonuclease H from calf thymus stimulates its homologous DNA-polymerase-α—primase complex
A. Hagemeier and F. Grosse 621–628

2-Aminobenzoyl-CoA monooxygenase/reductase, a novel type of flavoenzyme — Purification and some properties of the enzyme
R. Buder and G. Fuchs 629–635

2-Aminobenzoyl-CoA monooxygenase/reductase, a novel type of flavoenzyme — Studies on the stoichiometry and the course of the reaction
R. Buder, K. Ziegler, G. Fuchs, B. Langkau and S. Ghisla 637–643

Carbohydrates, lipids and other natural products

Scalar, dipolar-correlated and *J*-resolved 2D-NMR spectroscopy of the specific phenolic mycoside of *Mycobacterium tuberculosis*
M. Daffé and P. Servin 157–162

The activity of G_{D3} synthase modulates the ganglioside pattern in rat liver
R. Schüz-Henninger, E. Ullmer, C. Prinz and K. Decker 327–330

Biosynthesis of dolichol by rat liver peroxisomes
E.-L. Appelkvist and A. Kalén 503–509

rfaP mutants of *Salmonella typhimurium*
I. M. Helander, M. Vaara, S. Sukupolvi, M. Rhen, S. Saarela, U. Zähringer and P. H. Mäkelä 541–546

Structure of *Proteus mirabilis* O27 O-specific polysaccharide containing amino acids and phosphoethanolamine
E. V. Vinogradov, D. Krajewska-Pietrasik, W. Kaca, A. S. Shashkov, Y. A. Knirel and N. K. Kochetkov 645–650

Physical and inorganic biochemistry

Thermodynamic nonideality in enzyme catalysis — Effect of albumin on the reduction of pyruvate by lactate dehydrogenase
D. A. Bergman and D. J. Winzor 91– 97

Inhibition of *Desulfovibrio gigas* hydrogenase with copper salts and other metal ions
V. M. Fernandez, M. L. Rua, P. Reyes, R. Cammack and E. C. Hatchikian 449–454

Hydrodynamic, structural and magnetic properties of *Megasphaera elsdenii* Fe hydrogenase reinvestigated
M. Filipiak, W. R. Hagen and C. Veeger 547–553

Membranes and bioenergetics

The role of subunit 4, a nuclear-encoded protein of the F_0 sector of yeast mitochondrial ATP synthase, in the assembly of the whole complex
M. F. Paul, J. Velours, G. Arselin de Chateaubodeau, M. Aigle and B. Guerin 163–171

The mitochondrial inner-membrane anion channel possesses two mercurial-reactive regulatory sites
A. D. Beavis 511–519

The reaction of hemin with H_2O_2
M. L. Kremer 651–658

Electron transport pathways to nitrous oxide in *Rhodobacter* species
D. J. Richardson, A. G. McEwan, J. B. Jackson and S. J. Ferguson 659–669

Metabolism and metabolic regulation

Catabolic pathway of oligosaccharide-diphospho-dolichol — Subcellular sites of the degradation of the oligomannoside moiety
R. Cacan, A. Lepers, M. Belard and A. Verbert 173–179

Characterization and N-terminal amino acid sequence of multiple ferredoxins in kidney and adrenal mitochondria
W. J. Driscoll and J. L. Omdahl 181–187

Hepatocyte heterogeneity in glutamate metabolism and bidirectional transport in perfused rat liver
D. Häussinger, B. Stoll, T. Stehle and W. Gerok 189–195

Biosynthesis of 1-alkenes in higher plants: stereochemical implications – A model study with *Carthamus tinctorius* (Asteraceae)
G. Görgen and W. Boland 237–242

Butyrobetaine availability in liver is a regulatory factor for carnitine biosynthesis in rat – Flux through butyrobetaine hydroxylase in fasting state
A. Sandor and C. L. Hoppel 671–675

Signal transduction and molecular neurobiology

Purification of a vasodilator-regulated phosphoprotein from human platelets
M. Halbrügge and U. Walter 41– 50

Inhibition of transmitter release by botulinum neurotoxin A – Contribution of various fragments to the intoxication process
B. Poulain, J. D. F. Wadsworth, E. A. Maisey, C. C. Shone, J. Melling, L. Tauc and J. O. Dolly 197–203

Reconstitution of a light-stimulated adenylate cyclase from retina and *Neurospora crassa* preparations – Characterization of the heterologous systems using normal and degenerative retinas
J. P. Muschietti, G. M. Bianchini, H. E. Martinetto, V. C. Carricarte, N. Giusto, D. B. Farber, H. N. Torres and M. M. Flawia 205–210

Interleukin 2 stimulates tyrosine phosphorylation in T cell membrane fractions
J.-P. Piau, H. Wakasugi, J. Bertoglio, T. Tursz, D. Fradelizi and G. Gacon 455–459

Phosphorylation of low molecular mass cytosolic proteins by protein kinase C and protein kinase A in the rabbit exocrine pancreas
A. G. H. Ederveen, J. V. M. van der Leest, S. E. van Emst-de Vries and J. J. H. H. M. de Pont 461–468

Neomycin induces high-affinity agonist binding of G-protein-coupled receptors
E. Herrmann, P. Gierschik and K. H. Jakobs 677–683

Molecular cell biology

Slow/cardiac sarcoplasmic reticulum Ca^{2+}-ATPase and phospholamban mRNAs are expressed in chronically stimulated rabbit fast-twitch muscle
E. Leberer, K. T. Härtner, C. J. Brandl, J. Fujii, M. Tada, D. H. Maclennan and D. Pette 51– 54

Methicillin resistance in *Staphylococcus epidermidis* – Relationship between the additional penicillin-binding protein and an attachment transpeptidase
W. C. Gaisford and P. E. Reynolds 211–218

Degradation of ornithine decarboxylase in mammalian cells is ATP dependent but ubiquitin independent
Y. Rosenberg-Hasson, Z. Bercovich, A. Ciechanover and C. Kahana 469–474

Characterization of a membrane-associated phosphotyrosyl protein phosphatase from the A431 human epidermoid carcinoma cell line
M. T. Bütler, A. Ziemiecki, B. Groner and R. R. Friis 474–483

Developmental biochemistry and immunology

Characterization of mononuclear-phagocyte terminal maturation by mRNA phenotyping using a set of cloned cDNA probes
U. Ganter, J. Bauer, B. Majello, W. Gerok and G. Ciliberto 291–296

α-Actinin expression during avian myogenesis *in vivo* – Evidence for the existence of an embryo-specific isoform of α-actinin
R. Kobayashi, H. Itoh and Y. Tashima 297–302

Induction and stability of the adult myosin phenotype in striated muscles of dwarf mice after chronic thyroid hormone treatment
G. Prulière, G. S. Butler-Browne, N. Cambon, M. Toutant and R. G. Whalen 555–561

Instructions to authors 701–705

Indexed in *Current Contents*